



⚠ Not type-approved for public use

DIGITAL METER

P/N OE37780

Digital meters for oil and similar products max flow rate 35 l/min, equipped with:
 ▶ connection F 1/2" G ▶ Meter uses standard "off the shelf" two 1.5 v AAA batteries

📦 No1 packing m³ 0,0015 📦 kg 0,85

OVERALL DIMENSIONS P:94 H:55 L:90 mm

P/N OE37781

Digital meters for oil and similar products max flow rate 70 l/min, equipped with:
 ▶ connection F 3/4" G ▶ Meter uses standard "off the shelf" two 1.5 v AAA batteries

📦 No1 packing m³ 0,0018 📦 kg 1

OVERALL DIMENSIONS P:94 H:77 L:92 mm

P/N OE37782

Digital meters for oil and similar products max flow rate 100 l/min, equipped with:
 ▶ connection F 1" G + Flanges ▶ Meter uses standard "off the shelf" two 1.5 v AAA batteries

📦 No1 packing m³ 0,005 📦 kg 1,35

OVERALL DIMENSIONS P:94 H:96 L:110 mm

P/N OE37785

Digital meters for antifreeze and windshield washing liquid max flow rate 40 l/min, equipped with:
 ▶ connection F 1/2" G ▶ Meter uses standard "off the shelf" two 1.5 v AAA batteries

📦 No1 packing m³ 0,0015 📦 kg 0,85

OVERALL DIMENSIONS P:94 H:55 L:90 mm

P/N		OE37780	OE37781	OE37782	OE37785
Flow rate	l/min	35	70	100	40
Compatible fluids		oil and similar products, diesel fuel	oil and similar products, diesel fuel	oil and similar products, diesel fuel	antifreeze and windshield washing liquid
Body's material		aluminium	aluminium	aluminium	oxidized aluminium
Gear's material		POM	POM	POM	PVDF
Inlet		F 1/2"G	F 3/4"G	F 1"G + Flange	F 1/2"G
Outlet		F 1/2"G	F 3/4"G	F 1"G + Flange	F 1/2"G
Max working pressure	bar	70	70	70	70
Burst pressure	bar	200	200	200	200
Accuracy		± 0,3%	± 0,3%	± 0,3%	± 0,5%

Sealed battery compartment assures continuous electronic contact in rugged working conditions

Aluminium body with special coating suitable also for antifreeze and windshield washing fluid

Robotically welded electronics board equipped with a wide LCD screen

The use of 4 magnets provides superior control and precision measurement

The display is welded permanently on the electronic card

Double layer protective cover provides an air tight seal with the aluminium body

Meter uses standard "off the shelf" two 1.5 v AAA batteries

Oval gears made of POM or PVDF are highly resistant to fatigue and offer excellent chemical resistance

A ribbon wire connection between the buttons and the electronic board provide superior connectivity

Raised buttons on the membrane produce an improved operational feel

Gun for OIL and SIMILAR

Series 1/2" - 30TP



Series	1/2" 30TP	
Flow rate	l/min	30
Max pressure	bar	60
Inlet union	F1/2"G	
Seals	NBR	

Series 1/2" - 40AL - 40AP



Series	1/2" 40AL-40AP	
Flow rate	l/min	40
Max pressure	bar	70
Inlet union	F1/2"G	
Seals	Viton	

Series 1/2" - 65AP



Series	1/2" 65AP	
Flow rate	l/min	65
Max pressure	bar	100
Inlet union	F1/2"G	
Seals	Viton	

Series 3/4" - 70AP



Series	3/4" 70AP	
Flow rate	l/min	70
Max pressure	bar	100
Inlet union	F3/4"G	
Seals	Viton	

Series 3/4" - 85AP



Series	3/4" 80AP	
Flow rate	l/min	85
Max pressure	bar	100
Inlet union	F3/4"G	
Seals	Viton	

GUN FOR OIL AND SIMILAR SERIES 1/2" - 30TP



P/N OE38023

Oil gun equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ F 3/8" G outlet



P/N OE33120

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter
 ▶ high flow rate rigid terminal

P/N OE37730

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal



P/N OE38024

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter
 ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE37729

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm



P/N OE38141

Oil gun equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter
 ▶ rigid terminal ▶ automatic drip-catcher nozzle ø 16 mm

P/N OE38146

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" inlet swivel joint ▶ filter
 ▶ rigid terminal ▶ automatic drip-catcher nozzle ø 16 mm



P/N OE38025

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint
 ▶ filter ▶ flexible terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38140

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint
 ▶ filter ▶ flexible terminal
 ▶ automatic drip-catcher nozzle ø 16 mm




P/N OE37728

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38145

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal
 ▶ automatic drip-catcher nozzle ø 16 mm

GUN FOR OIL AND SIMILAR SERIES 1/2" - 40AL



P/N OE38020

Grip in aluminium for oil gun equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ F 3/8" G outlet



P/N OE33121

Oil gun equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal

P/N OE37760

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal



P/N OE38021

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter
 ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38151

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter
 ▶ rigid terminal ▶ automatic drip-catcher nozzle ø 16 mm



P/N OE37759

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38156

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal
 ▶ automatic drip-catcher nozzle ø 16 mm



P/N OE38022

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint
 ▶ filter ▶ flexible terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38150

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint
 ▶ filter ▶ flexible terminal
 ▶ automatic drip-catcher nozzle ø 16 mm



P/N OE37758

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal
 ▶ semiautomatic drip-catcher nozzle ø 16 mm


P/N OE38155

Oil gun with digital litre-counter P/N OE37780 equipped with:
 ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal
 ▶ automatic drip-catcher nozzle ø 16 mm

GUN FOR OIL AND SIMILAR SERIES 1/2" - 40AP



lever locking button



Coloured caps supplied for all the range

P/N OE37740

Grip in aluminium for oil gun equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ F 3/8" G outlet
- ▶ lever locking button



P/N OE37743

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal ▶ lever locking button

P/N OE37788

Oil gun with digital litre-counter P/N OE37780 equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ high flow rate rigid terminal
- ▶ lever locking button



P/N OE37742

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm ▶ lever locking button

P/N OE37787

Oil gun with digital litre-counter P/N OE37780 equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ rigid terminal
- ▶ semiautomatic drip-catcher nozzle ø 16 mm,
- ▶ lever locking button



P/N OE37741

Oil gun equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ flexible terminal
- ▶ semiautomatic drip-catcher nozzle ø 16 mm ▶ lever locking button

P/N OE37786

Oil gun with digital litre-counter P/N OE37780 equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ flexible terminal
- ▶ semiautomatic drip-catcher nozzle ø 16 mm ▶ lever locking button

SUPPLIED WITH ALL GUNS

inlet filter

supplied with all our oil, antifreeze, windshield liquid delivery gun



GUN FOR OIL AND SIMILAR SERIES 1/2" - 65AP

P/N OE37750

Grip in aluminium for oil gun equipped with:

- ▶ F 1/2" G inlet swivel joint ▶ filter
- ▶ F 1/2" G outlet ▶ **lever locking button**


P/N OE33140

High flow rate oil gun equipped with:

- ▶ F 1/2" G inlet swivel joint ▶ filter
- ▶ high flow rate rigid terminal ▶ **lever locking button**

P/N OE37796

High flow rate oil gun with digital litre-counter P/N OE37780

- equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter
- ▶ high flow rate rigid terminal ▶ **lever locking button**


P/N OE37752

Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter

- ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 21 mm
- ▶ **lever locking button**

P/N OE37795

Oil gun with digital litre-counter P/N OE37780 equipped with:

- ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal
- ▶ semiautomatic drip-catcher nozzle ø 21 mm
- ▶ **lever locking button**


P/N OE37751


Oil gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter

- ▶ flexible terminal ▶ semiautomatic drip-catcher nozzle ø 21 mm
- ▶ **lever locking button**

P/N OE37794

Oil gun with digital litre-counter P/N OE37780 equipped with:

- ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal
- ▶ semiautomatic drip-catcher nozzle ø 21 mm
- ▶ **lever locking button**

GUN FOR OIL AND SIMILAR SERIES 3/4" - 70AP

P/N OE37775

High delivery oil grip equipped with:

- ▶ F 3/4" G inlet swivel joint ▶ filter ▶ F 1/2" G outlet
- ▶ lever locking button


P/N OE37778

High flow rate oil gun equipped with:

- ▶ F 3/4" G inlet swivel joint ▶ filter
- ▶ high flow rate rigid terminal
- ▶ lever locking button

P/N OE37799

High flow rate oil gun with digital litre-counter P/N OE37781

- equipped with:
- ▶ F 3/4" G inlet swivel joint ▶ filter
 - ▶ high flow rate rigid terminal
 - ▶ lever locking button


P/N OE37777

High flow rate oil gun equipped with:

- ▶ F 3/4" G inlet swivel joint ▶ filter ▶ rigid terminal
- ▶ semiautomatic drip-catcher nozzle ø 35 m
- ▶ lever locking button

P/N OE37798

High flow rate oil gun with digital litre-counter P/N OE37781

- equipped with:
- ▶ F 3/4" G inlet swivel joint ▶ filter
 - ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 35 m
 - ▶ lever locking button


P/N OE37776

High flow rate oil gun equipped with:

- ▶ F 3/4" G inlet swivel joint ▶ filter ▶ flexible terminal
- ▶ semiautomatic drip-catcher nozzle ø 35 mm
- ▶ lever locking button

P/N OE37797

High flow rate oil gun with digital litre-counter P/N OE37781

- equipped with:
- ▶ F 3/4" G inlet swivel joint ▶ filter
 - ▶ flexible terminal ▶ semiautomatic drip-catcher nozzle ø 35 mm
 - ▶ lever locking button

GUN FOR OIL AND SIMILAR SERIES 3/4" - 85AP



P/N OE33150

High delivery oil grip equipped with:

- ▶ F 3/4" G inlet swivel joint
- ▶ filter
- ▶ F 3/4" G outlet
- ▶ lever locking button



P/N OE33153

High delivery oil gun grip equipped with:

- ▶ F 3/4" G inlet swivel joint
- ▶ filter
- ▶ rigid terminal with free outlet
- ▶ lever locking button

P/N OE33148

High delivery oil gun grip with digital litre-counter

- P/N OE37781 equipped with:
- ▶ F 3/4" G inlet swivel joint
 - ▶ filter
 - ▶ rigid terminal with free outlet
 - ▶ lever locking button



P/N OE33152


High delivery oil gun grip equipped with:

- ▶ F 1/2" G inlet swivel joint
- ▶ filter
- ▶ rigid terminal
- ▶ semiautomatic drip-catcher nozzle ø 35 mm
- ▶ lever locking button

P/N OE33147

High delivery oil gun grip with digital litre-counter

- P/N OE37781 equipped with:
- ▶ F 3/4" G inlet swivel joint
 - ▶ filter
 - ▶ rigid terminal
 - ▶ semiautomatic drip-catcher nozzle ø 35 mm
 - ▶ lever locking button



P/N OE33151

High delivery oil grip equipped with:

- ▶ F 3/4" G inlet swivel joint
- ▶ filter
- ▶ flexible terminal
- ▶ semiautomatic drip-catcher nozzle ø 35 mm
- ▶ lever locking button

P/N OE33146

High delivery oil gun grip with digital litre-counter

- P/N OE37781 equipped with:
- ▶ F 3/4" G inlet swivel joint
 - ▶ filter
 - ▶ flexible terminal
 - ▶ semiautomatic drip-catcher nozzle ø 35 mm
 - ▶ lever locking button

ANTIFREEZE SERIES 1/2" - 40AL



P/N OE37764

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal



P/N OE37763

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38161

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal ▶ automatic drip-catcher nozzle ø 16 mm



P/N OE37762

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm

P/N OE38160

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal ▶ automatic drip-catcher nozzle ø 16 mm

ANTIFREEZE SERIES 1/2" - 40AP



P/N OE37792

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal ▶ lever locking button



P/N OE37791

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ rigid terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm ▶ lever locking button



P/N OE37790

Antifreeze gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ flexible terminal ▶ semiautomatic drip-catcher nozzle ø 16 mm ▶ lever locking button

WINDSHIELD WASHING LIQUID GUN S. 1/2" - 40AN



P/N OE33445

Windshield washing liquid gun equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal

P/N OE33446

Windshield washing liquid gun with digital litre-counter P/N OE37785 equipped with: ▶ F 1/2" G inlet swivel joint ▶ filter ▶ high flow rate rigid terminal

DIGITAL DISPENSING OIL
P/N OE37704 * *
Digital dispensing oil gun with preselection,
equipped with:

- ▶ F 1/2"G inlet swivel joint
- ▶ flexible terminal
- ▶ semiautomatic nozzle \varnothing 16 mm



- * Not type-approved for public use
- * Articles not manufactured by ECODORA

MECHANICAL LITRE-COUNTER
P/N OE37701 * *
Mechanical litre-counter for oil,
equipped with:

- ▶ F 1/2"G x F 1/2"G connections
- ▶ indicator 0 -10 litres
- ▶ total up to 9999 litres



- * Not type-approved for public use
- * Articles not manufactured by ECODORA

OIL GUN WITH MECHANICAL LITRE-COUNTER
P/N OE37703 * *
Oil gun with mechanical litre-counter (P/N OE37701)
equipped with:

- ▶ F 1/2"G inlet swivel joint
- ▶ flexible terminal
- ▶ semiautomatic nozzle \varnothing 16 mm



- * Not type-approved for public use
- * Articles not manufactured by ECODORA

ACCESSORIES FOR GUNS S. 1/2" - 30TP - 40AL

P/N OE38015

Semiautomatic drip-catcher nozzle \varnothing 10 mm



P/N OE38115

Automatic drip-catcher nozzle \varnothing 10 mm



P/N OE38016

Semiautomatic drip-catcher nozzle \varnothing 16 mm

P/N OE38116

Automatic drip-catcher nozzle \varnothing 16 mm



P/N OE38017

Semiautomatic drip-catcher nozzle \varnothing 8 mm

P/N OE38018

Curved semiautomatic drip-catcher nozzle \varnothing 8 mm

► for terminal S. 1/2" 30TP - 40AL - 40AP



P/N OE38009

Straight flexible terminal with semiautomatic drip-catcher nozzle \varnothing 16 mm

► connection M 3/8"G



P/N OE38109

Straight flexible terminal with automatic drip-catcher nozzle \varnothing 16 mm

► for oil and antifreeze gun S. 1/2" 30TP - 40AL - 40AP



P/N OE38010

Flexible terminal with semiautomatic drip-catcher nozzle \varnothing 16 mm

► connection M 3/8"G



P/N OE38014

Flexible terminal with curved semiautomatic drip-catcher nozzle \varnothing 8 mm

► for oil gun S. 1/2" 30TP - 40AL - 40AP



P/N OE38110

Flexible terminal with automatic drip-catcher nozzle \varnothing 16 mm

► for oil and antifreeze gun S. 1/2" 30TP - 40AL - 40AP



P/N OE38011

Rigid terminal with semiautomatic drip-catcher nozzle \varnothing 16 mm

► connection M 3/8"G



P/N OE38111

Rigid terminal with automatic drip-catcher nozzle \varnothing 16 mm

► for oil and antifreeze gun S. 1/2" 30TP - 40AL - 40AP



P/N OE38013

Rigid terminal 45° with semiautomatic drip-catcher nozzle \varnothing 16 mm

► connection M 3/8"



P/N OE38012

High delivery rigid terminal with free outlet \varnothing 20 mm

► connection M 3/8"G



P/N OE38062

Swivel joint in galvanized steel for oil and antifreeze gun M/F 1/2"G



P/N OE38064

Swivel joint in brass for gun M/F 1/2"G, standard on OE33445 and OE33446

ACCESSORIES FOR GUNS S. 1/2" - 65AP



P/N OE38034

Semiautomatic drip-catcher nozzle \varnothing 21 mm



P/N OE38035

Semiautomatic drip-catcher nozzle \varnothing 27 mm



P/N OE38033

Straight flexible terminal with semiautomatic drip-catcher nozzle \varnothing 21 mm

► connection M 1/2"G



P/N OE38029

Flexible terminal with semiautomatic drip-catcher nozzle \varnothing 21 mm

► connection M 1/2"G



P/N OE38030

Rigid terminal with semiautomatic drip-catcher nozzle \varnothing 21 mm

► connection M 1/2"G



P/N OE38031

Rigid terminal 45° with semiautomatic drip-catcher nozzle \varnothing 21 mm

► connection M 1/2"G



P/N OE38032

High delivery rigid terminal with free outlet \varnothing 20 mm

► connection M 1/2"G



P/N OE38063

Swivel joint for gun M/F 1/2"G

ACCESSORIES FOR GUNS S. 3/4" - 70AP - 85AP



P/N OE38040

High delivery semiautomatic drip-catcher nozzle \varnothing 35 mm



P/N OE38037

High delivery flexible terminal with semiautomatic drip-catcher nozzle \varnothing 35 mm

► connection M 3/4"G



P/N OE38038

High delivery rigid terminal 45° with semiautomatic drip-catcher nozzle \varnothing 35 mm

► connection M 3/4"G



P/N OE38039

High delivery rigid terminal with free outlet \varnothing 26 mm

► connection M 3/4"G



P/N OE38066

Swivel joint for gun M 1/2"G x F 3/4"G



P/N OE38065

Swivel joint for gun, high delivery, inlet M/F 3/4"G