

SUPER TRESS-NOBEL®

240
bar

PHthalates < 0,1 %

+60
-15 °C

Hose for agricultural spraying (80 bar).


Five layer design, in flexible PVC, with double layer. High resistant polyester fibre reinforcement.

APPLICATIONS

- Herbicide spraying treatment of fields, paths, roadside verges, public parks ...
- Insecticide treatment
- Liquid fertilizer transfer and spreading
- Can also be used for compressed air supply

SECTORS OF ACTIVITY

- Agriculture (motorized and towed spraying equipment)
- Agro-chemical industries
- Public authorities
- Public Worksdepartments



- 1 Coating in flexible dark blue PVC
- 2 4 Double polyester reinforcement
- 3 5 Flexible black PVC

Marking

SUPER TRESS-NOBEL 80 BAR [Batch number]

ADVANTAGES

The double reinforcement incorporated in Super TRESS-NOBEL® 80 bar provides it with excellent resistance to pressure and enables it to withstand any possible pressure surges with minimal distortion. It offers good resistance to ultra violet and in general to all weather conditions. Furthermore, the PVC composition eliminates any risks of cracks appearing (particular defect of rubbers), thus improving safety and a long service life.

CONNECTORS

Quick connectors, swaged connectors, barbed or serrated connectors (favor long end fittings). Band, worm drive, screw clamps (double up the clamps). Swaged fittings can be used if they do not damage the hose.

CHEMICAL RESISTANCE

See table pages 104 to 107 column A.



| mm | +/- mm | mm | +/- mm | mm | g/m | bar | bar | mm | Blue | |
|----|---------|------|---------|------|-----|-----|-----|-----|--------|--------|
| | | | | | | | | | 50 m | 100 m |
| 8 | +/- 0,5 | 16.5 | +/- 0,5 | 4.25 | 215 | 240 | 80 | 56 | 102324 | |
| 10 | +/- 0,5 | 19 | +/- 0,5 | 4.5 | 273 | 240 | 80 | 70 | 102408 | 102411 |
| 12 | +/- 0,6 | 22 | +/- 0,6 | 5 | 356 | 240 | 80 | 84 | 102440 | 102453 |
| 16 | +/- 0,6 | 26.5 | +/- 0,6 | 5.25 | 459 | 240 | 80 | 112 | 102482 | |
| 19 | +/- 0,8 | 30.5 | +/- 0,8 | 5.75 | 581 | 240 | 80 | 153 | 102527 | |